

Reinforced at each end



S1P FO SR

640g⁽¹⁾

⁽¹⁾ (Approximative weight of a shoe, size 42)

>> Use (*)

Thanks to its technical characteristics this product is ideal for your work in industrial environment and more generally for protection against projections thanks to its closure system with leather flap.

>> Technical features

- ✓ Safety boot.
- ✓ Leather upper.
- ✓ Top of upper with lining.
- ✓ Full piece removable footbed.
- ✓ Pierce resistant midsole and safety toe cap.
- ✓ Energy absorbing heel.
- ✓ Polyurethane (PU) double density sole.
- ✓ Easy closing system with leather cover and self-grip system.
- ✓ Protection against splashes.
- ✓ Reinforced at each end.
- ✓ Colour: black.
- ✓ Sizes: 39 to 47.
- ✓ Packaging: - Carton of 10 pairs.

- Each pair individually packed in a box.



Learn more: www.singer.fr

>> Advantages

- ✓ Convenient full piece and removable footbed.
- ✓ Dual-density PU outsole.
- ✓ Energy absorption of heel.
- ✓ Upper in soft and strong leather.
- ✓ Quality of materials and workmanship.
- ✓ Fast and easy closing system



>> Conformity

This product has been tested according to the following European Standard:

- **EN ISO 20345: 2022** Personal protective equipment — Safety footwear

It complies with the European **Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **CAT II**.

EU type examination certificate (**module B**) issued **CTC**. Notified body **n°0075**.

Download the EU declaration of conformity on: <http://docs.singer.fr>



Symbol S1P	General requirement of the standard EN ISO 20345: toe protection against shocks equivalent to a level of energy equal to 200J and the risks of flattening under a maximal weight of 15 kN. + closed heel area + antistatic properties + energy absorption of seat region + perforation resistant midsole (metal insert type P)
Symbol FO	Resistance to fuel oil
Symbol SR	Slip resistance on ceramic tile with glycerol

Your distributor **SINGER® SAFETY**

